0

F122 12/03

PTO/SBA08a/b (06-03)
Approved for use through 07/31/2003. OMB 0551-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
To persons are required to respond to a collection of information unless it contains a valid OMB control univer-

Sub	stitute for form 1449A/B	/PTO		Complete if Known		
-		.,		Application Number	Not Yet Assigned 10/735	
11	IFORMATIC	N DI	SCLOSURE	Filing Date	December 9, 2003	
S	TATEMENT	BY /	APPLICANT	First Named Inventor	Henryk Dudek	
Ī				Art Unit	MA (614	
	(Use as many	sheet s as	necessary)	Examiner Name	Not Yet Assigned (2. Henley	
Sheet	1	of	5	Attorney Docket Number	CIBT-P03-068	

			U.S. PA	TENT DOCUMENTS		
Examiner	Cite	Document Number	Publication Date	Name of Patentee or	Pages, Columns, Lines, Where Relevant Passages or Relevant	
initials.	No.	Number-Kind Coda² (if known)	MM-DD-YYYY	Applicant of Cited Document	Figures Appear	
	AA	US-4,007,268	02-08-1977	Voorhees		
0	AB	US-4,353,888	10-12-1982	Sefton	-	
	AC	US-4,634,706	01-06-1987	Kaneko et al.		
	AD	US-4,751,224	06-14-1988	Agarwal et al.		
	AE	US-4,892,538	01-09-1990	Aebischer et al.		
	AF	US-4,955,892	09-11-1990	Daniloff		
	AG	US-5,041,138	08-20-1991	Vacanti et al.		
	AH	US-5,092,871	03-03-1992	Aebischer et al.		
	Al	US-5,288,514	02-22-1994	Ellman		
	AJ	US-5,359,115	10-25-1994	Campbell et al.		
	AK	US-5,362,899	11-08-1994	Campbell		
	AL	US-5,565,462	10-15-1996	Eitan et al.		
	AM	US-5,712,171	01-27-1998	Zambias et al.		
	AN	US-5,736,412	04-07-1998	Zambias et al.		
	AO	US-5,789,439	08-04-1998	Hosono et al.		
1	AP	US-6,291,516	09-18-2001	Dudek et al.		

			FOREI	GN PATENT	DOCUMENTS		\Box
-		Ĉite	Foreign Patent Document	Publication	Name of Patentee or	Pages, Columns, Lines,	
Examiner Initials	No.	Country Code ³ -Number ⁴ -Kind Code ⁵ (# known)	Date MM-DD-YYYY	Applicant of Cited Document	Where Reievant Passages or Relevant Figures Appear	T ⁶	
PA	7	BA	EU-EP0020029A1	10-12-1980			
	Ti	BB	WO-89/11487	11-30-1989			
	- 11	BC	WO-91/07087	05-30-1991			
		BD	WO-91/10743	07-25-1997			
\sqcap	Ti	BE	WO-92/10092	06-25-1992			
	Ti	BF	WO-93/01275	01-21-1993			
П	Tı	BG.	WO-93/09668	05-27-1992			
	7	вн	WO-93/20242	10-14-1993	X		
		BI	WO-93/21929	11-11-1993			
	Ti	BJ	WO-94/08051	04-14-1994	,		
	Ti	BK	WO-94/09229	04-28-1994			
\Box	T	BL	WO-94/10292	05-11-1994			
М	Ti	вм	WO-94/16718	08-04-1994			
	Ţ	BN	WO-98/58650	12-30-1998			
(A)		ВО	WO-99/52534	10-21-1999			

"EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. 'Applicant's unique citation designation number (optional). 'See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. 'Senter Office that issued the document, by the two-letter code (WIPO Standard ST.3). 'For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document.' Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST. 16 if possible. 'Applicant is to place a check mark here if English language Translation is attached.

Examiper Signature Date Considered 3/11/05

PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OM9 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unlass it contains a valid OMB control number.

Sub	stitute for form 1449A/B/I	PTO		Complete if Known			
		-		Application Number	Not Yet Assigned 10/735, 116		
IN	IFORMATIO	N DISC	CLOSURE	Filing Date	December 9, 2003		
S	TATEMENT	BY AP	PLICANT	First Named Inventor	Henryk Dudek		
ļ.				Art Unit	HA 1614		
	(Use as many s	heets as ne	cessary)	Examiner Name	Not Yet Assigned Z. Hewley		
Sheet	2	of	5	Attorney Docket Number	CIBT-P03-068		

xaminer	Cite	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book,	Г
nitials	No. ¹	magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T 2
X	.CA	Alcedo et al., "The drosophila smoothened gene encodes a seven-pass membrane protein, a putative receptor for the hedgehog signal," Cell 86:221-232 (1996)	L
7	СВ	Altaba, "Restrictions to floor plate induction by hedgehog and winged-helix genes in the neural tube of frog embryos," Mol. Cell. Neurosci. 6:106-121 (1995)	
	CC	Apelqvist et al., "Sonic hedgehog directs specialized mesoderm differentiation in the intestine and pancreas," Curr. Biol., 7:801-804 (1997)	
	CD	Bellusci et al., "Involvement of Sonic hedgehog in mouse embryonic lung growth and morphogenesis," Development 124:53 (1997)	
 	CE	Berge et al., "Pharmaceutical Salts," J. Pharm. Sci. 66:1-19 (1977)	
	CF	Bitgood et al., "Sertoli cell signaling by Desert hedgehog regulates the male germline," Curr. Biol. 6:298 (1996)	
	CG	Bitgood et al., "Hedgehog and Bmp Genes are coexpressed at many diverse sites of cell-cell interaction in the mouse embryo," Dev. Biol. 172:126-138 (1995)	
	СН	Burncrot et al., "Proteolytic processing yields two secreted forms of sonic hedgehog," Mol. Cell. Biol. 15:2294-2303 (1995)	
	CI	Chang et al., "Products, genetic linkage and limb patterning activity of a murine hedgehog gene." Development 120:3339-3353 (1994)	
	Cl	Chen et al., "Analogous' organic synthesis of small-compound libraries: validation of combinatorial chemistry in small-molecule synthesis," JACS 116:2661 (1994)	
	СК	Chen et al., "Dual roles for patched in sequestering and transducing hedgehog," Cell 87:553-563 (1996)	
	CL	Davidson, "How embryos work: a comparitive view of diverse modes of cell fate specification," Development 108:365-389 (1990)	
	СМ	Dunnett et al., "Mechanisms of function of neural grafts in the adult mammalian brain," J. Exp. Biol., 132:265-289 (1987)	
	CN	Echelard et al., "Sonic hedgehog, a member of a family of putative signaling molecules, is implicated in the regulation of CNS polarity," Cell 75:1417-1430 (1993)	
	СО	Ekker et al., "Distinct expression and shared activities of members of the hedgehog gene family of xenopus laevix," Development 121:2337-2347 (1995)	
	СР	Ericson et al., "Sonic hedgehog induces the differentiation of ventral forebrain neurons: a common signal for ventral patterning within the neural tube," Cell 81:737-756 (1995)	
	ca	Fan et al., "Patterning of mammalian somites by surface ectoderm and notochord: evidence for scientification by hedgehog homolog," Cell 79:1175-1189 (1994)	
	CR	Fan et al., "Long-range sclerotome induction by sonic hedgehog: direct role of the amino- terminal cleavage product and modulation by the cyclic AMP signaling pathway," Cell 81:457- 465 (1995)	
	cs	Fietz et al., "Secretion of the amino-terminal fragment of the hedgehog protein is necessary and sufficient for hedgehog signalling in drosophia," Curr. Biol. 5:643-651 (1995)	
1	СТ	Forbes et al., "Hedgehog is required for the proliferation and specification of ovarian somatic cells prior to egg chamber formation in Drosophila," Development 122:1125-1135 (1996)	
	CU	Francis et al., "Bone morphogenetic proteins and a signalling pathway that controls patterning in the developing check limb," Development 120:209-218 (1994)	Ī
1	CV	Freed et al., "Neocartilage formation in vitro and in vivo using cells cultured on synthetic biodegradable polymers," J. Biomed Mater Res. 27:11-23 (1993)	T
7T 1/1	cw	Freund et al., "Efferent synaptic connections of grafted dopaminergic neurons reinnervating	K

Date Considered Examiner Signature

PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OMB 0651-0031
d Trademark Office: U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are req		rademark Office; U.S. DEPARTMENT OF COMMERCE of information unless it contains a valid CMB control number.			
Substitute for form 1449A/B/PTO	Complete if Known				
	Application Number	Not Yet Assigned (0/735,1/6			
INFORMATION DISCLOSURE	Filing Date	December 9, 2003			
STATEMENT BY APPLICANT	First Named Inventor	Henryk Dudek			

INFO STAT Art Unit (Use as many sheets as necessary) Not Yet Assigned 12. Hewley Examiner Name 5 CIBT-P03-068 3 of Attomey Docket Number Sheet

CX Fujita et al., "Involvement of sonic hedgehog in the cell growth of LK-2 cells, human lung squamous carcinoma cells," Biochem Biophys Res Commun 238:68-6864 (1997) CY Gailani et al., "The role of the human homologue of Drosophila patched in sporadic basal cell cardinomas," Nature Genetics 14:78-81 (1996) CZ Goodrich et al., "Altered nevarl cell fates an medulloblastoma in mouse patched mutants," Science 277:1109-1113 (1997) CA1 Goodrich et al., "Charevardion of the hedgehog/patched signaling pathway from files to mice: induction of a mouse patched gene by hedgehog," Genes Dev. 10:301-312 (1996) CB1 Grande et al., "The repair of experimentally produced defects in rabbit articular cardilage by autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208-218 (1989) CC1 Gurdon, "The generation of diversity and pattern in animal development," Cell 68:185-199 (1992) CD1 Hammerschridid et al., "Protein kinase A is common negative regulator of hedgehog signalling in the verebrate embryo," Genes Dev. 10:647-658 (1995) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1999) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Gil, Gil-2, and Gil-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:3363 (1997) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:3363 (1997) CH1 Jensen et al., "The GLI gene encodes a nuclear protein which binds specific sequences	1	CW,	the host neostriatum: a tyrosine hydroxylase immlnocytochemical study," J. Neuroscience 5:603-616 (1985)
carcinomas," Nature Genetics 14:78-81 (1996) CZ Goodrich et al., "Altered neural cell fates an medulloblastoma in mouse patched mutants," Science 277:1109-1113 (1997) CA1 Goodrich et al., "Conservation of the hedgehog/patched signalling pathway from files to mice: induction of a mouse patched gene by hedgehog," Genes Dev. 10:301-312 (1996) CB1 Grande et al., "The repair of experimentally produced defects in rabbit articular cardilage by autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208-218 (1989) CC1 Gurdon, "The generation of diversity and pattern in animal development," Cell 68:185-199 (1992) CD1 Hammerschmidt et al., "Protein kinase A is common negative regulator of hedgehog signalling in the verebrate embryo," Genes Dev. 10:647-658 (1996) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus Gli, Gli-2, and Gli-3, in ectoderm-and mesoderm-derived rissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its pulative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) C11 Hyens et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CK1 Johnson et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-632 (1995) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which	∇		Fujita et al., "Involvement of sonic hedgehog in the cell growth of LK-2 cells, human lung
Science 277:1109-1113 (1997) CA1 Goodrich et al., "Conservation of the hedgehog/patched signaling pathway from flies to mice: induction of a mouse patched gene by hedgehog," Genes Dev. 10:301-312 (1996) CB1 Grande et al., "The repair of experimentally produced defects in rabbit articular cartilage by autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208-218 (1989) CC1 Gurdon, "The generation of diversity and pattern in animal development," Cell 68:185-199 (1992) CD1 Hammerschmidt et al., "Protein kinase A is common negative regulator of hedgehog signalling in the verebrate embryo," Genes Dev. 10:647-658 (1995) CE1 Hiddigo et al.," Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hodper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Gli, Gl-2, and Gli-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) CI1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Extotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CK1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 27:1688-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds seg	П	CY	carcinomas," Nature Genetics 14:78-81 (1996)
induction of a mouse patched gene by hedgehog, "Genes Dev. 10:301-312 (1996) CB1 Grande et al., "The repair of experimentally produced defects in rabbit articular cartilage by autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208-218 (1989) CC1 (Gurdon, "The generation of diversity and pattern in animal development," Cell 68: 185-199 (1992) CD1 Hammerschmidt et al., "Protein kinase A is common negative regulator of hedgehog signaliling in the verebrate embryo," Genes Dev. 10:647-588 (1998) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1988) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Gil., Gil-2, and Gil-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 12:363 (1997) C11 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "The Gil gene encodes a nuclear protein which binds specific sequences in the human genome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The Gil gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CM1 Kinzler et al., "The Gil gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CM1 Kinzler et al., "A functionally conserved homolog of the drosophila segment	П	CZ	Science 277:1109-1113 (1997)
autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208–218 (1989) CC1 Gurdon, "The generation of diversity and pattern in animal development," Cell 68:185-199 (1992) CD1 Hammerschmidt et al., "Protein kinase A is common negative regulator of hedgehog signalling in the verebrate embryo." Genes Dev. 10:647-658 (1996) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus (Gi. Gil-2, and Gil-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) CI1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1155-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The Gil gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Laufer et al., "Biochemical evidence from kenopus laevis by the amino-terminal product of hed	\prod	CA1	induction of a mouse patched gene by hedgehog," Genes Dev. 10:301-312 (1996)
CD1 Hammerschmidt et al., "Protein kinase A is common negative regulator of hedgehog signalling in the verebrate embryo," Genes Dev. 10:647-658 (1996) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Gil, Gil-2, and Gil-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) Cl1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Thuman homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laveis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:393-31003 (1994) CQ1 Le		CB1	autologous chondrocyte transplantation," J. Orthopaedic Res. 7:208-218 (1989)
in the verebrate embryo." Genes Dev. 10:647-658 (1996) CE1 Hidalgo et al., "Cell patterning in the Drosophila segment: spatial regulation of the segment polarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Gli, Gli-2, and Gli-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) CI1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Krauss et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and patterning of the developing limb bud," Cell 79:993-1003 (1994) CC1 Lee et al., "Sceretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CC1 Lee et al., "Cha		CC1	(1992)
Dolarity gene patched," Development 110:291-301 (1990) CF1 Hooper et al., "The drosophila patched gene encodes a putative membrane protein required for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus, Cili, Cili-2, and Cili-3, in ectoderm- and memoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) CI1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Hurman homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krause et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic deavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signalling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CC1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog, Cell 71:33-50 (1992) CC1 Leven et al., "inolecular pathway determining left-right asymmetry in chick embryogene			in the verebrate embryo," Genes Dev. 10:647-658 (1996)
for segmental patterning," Cell 59:751-764 (1989) CG1 Hui et al., "Expression of three mouse homologs of the Drosophila segment polarity gene cubitus interruptus (3li, 3li-2, and Gli-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) Cl1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Sonic hedgehog are protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Scretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CR1 Lee et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) L			polarity gene patched," Development 110:291-301 (1990)
cubitus interruptus,Gli, Gli-2, and Gli-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994) CH1 Jensen et al., "Expression of sonic hedgehog and its putative role as a precursor cell mitogen in the developing mouse retina," Development 124:363 (1997) CI1 Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Scoretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CV1 Leven et al., "Molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-			for segmental patterning," Cell 59:751-764 (1989)
in the developing mouse retina," Development 124:363 (1997) Hynes et al., "Induction of midbrain dopaminergic neurons by sonic hedgehog," Neuron 15:35-44 (1995) CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CC1 Lee et al., "Scoriction and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CV1 Leven et al., "Imbepatterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CG1	cubitus interruptus,Gli, Gli-2, and Gli-3, in ectoderm- and mesoderm-derived tissues suggests multiple roles during postimplantation development," Dev Biol. 162:402-413 (1994)
CJ1 Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992) CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:393-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CV1 Marigo et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995)		CH1	in the developing mouse retina," Development 124:363 (1997)
CK1 Johnson et al., "Exotopic expression of sonic hedgehog alters dorsal-ventral patterning of somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic deavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995)		CI1	44 (1995)
Somites," Cell 79:1165-1173 (1994) CL1 Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krause et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995)		CJ1	Jessel, "Diffusible factors in vertebrate embryonic induction," Cell 68:257-270 (1992)
CL1 Johnson et al., "Hurnan homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996) CM1 Kinzler et al., "The GLI gene encodes a nuclear protein which binds specific sequences in the human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995)		CK1	somites," Cell 79:1165-1173 (1994)
human genome," Mol. Cell. Biol. 10:634-642 (1990) CN1 Krauss et al., "A functionally conserved homolog of the drosophila segment polarity gene hh is expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CL1	Johnson et al., "Human homolog of patched, a candidate gene for the basal cell nevus syndrome," Science 272:1668-1671 (1996)
expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993) CO1 Lai et al., "Patterning of the neural ectoderm of xenopus laevis by the amino-terminal product of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CM1	human genome," Mot. Cell. Biol. 10:634-642 (1990)
of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995) CP1 Laufer et al., "Sonic hedgehog and Fgf-4 act through a signaling cascade and feedback loop to integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CN1	expressed in tissues with polarizing activity in zebrafish embryos," Cell 75:1431-1444 (1993)
integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994) CQ1 Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994) CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CO1	of hedgehog autoproteolytic cleavage," Development 121:2349-2360 (1995)
CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CP1	integrate growth and patterning of the developing limb bud," Cell 79:993-1003 (1994)
CR1 Lee et al., "Secretion and localized transcription suggest a role in positional signaling for products of the segmentation gene hedgehog," Cell 71:33-50 (1992) CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CQ1	Lee et al., "Autoproteolysis in hedgehog protein biogenesis," Science 266:1528-1537 (1994)
CS1 Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell carcinoma syndrome," Human Genetic., 100(5-6):497-502 (1997) CT1 Leven et al., "molecular pathway determining left-right asymmetry in chick embryogenesis," Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CR1	Lee et al., "Secretion and localized transcription suggest a role in positional signaling for
Cell 82:803-814 (1995) CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CS1	Lench et al., "Characterization of human patched germ line mutations in naevoid basal cell
CU1 Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the amino-terminal product of sonic hedgehog cleavage," Curr. Biol. 5:791-795 (1995) CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		CT1	
CV1 Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-		OA CU1	Lopez-Martinez et al., "Limb-patterning activity and restricted posterior localization of the
	K	CV1	Marigo et al., "Biochemical evidence that patched is the hedgehog receptor," Nature 384:177-

Date Considered Examiner Signature

PTO/SB/08a/b (06-03)

Approved for use through 07/31/2003. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it contains a valid OMB control number.

Sul	estitute for form 1449A/B/P	то		Complete if Known			
"				Application Number	Not Yet Assigned /U/735, 116		
11	NFORMATIO	N DIS	SCLOSURE	Filing Date	December 9, 2003		
l s	TATEMENT	BY A	PPLICANT	First Named Inventor	Henryk Dudek		
				Art Unit	NA 1614		
	(Use as many s	heets as	necessary)	Examiner Name	Not Yet Assigned 12. Hewley		
Sheet	4.	of	5	Attorney Docket Number	CIBT-P03-068		

<i>A</i>		
M	CW1	Marigo et al., "Conservation in hedgehog signaling: induction of a chicken patched homolog by sonic hedgehog in the developing limb," Development 122:1225-1233 (1996)
	CX1	Marigo et al., "Regulation of patched by sonic hedgehog in the developing neural tube," PNAS 93:9346-9351 (1996)
	CY1	Marti et al., "Requirement of 19K from the sonic hedgehog for induction of distinct ventral cell types in CNS explants," Nature 375:322-325 (1995)
	CZ1	Marti et al., "Distribution of sonic hedgehog peptides in the developing chick and mouse embryo," Development 121:2537-2547 (1995)
	CA2	Mitra-Kirtley et al., "Determination of the nitrogen chemical structures using XANES spectroscopy," JACS 115:252-258 (1993)
	CB2	Munsterberg et al., "Combinatorial signaling by sonic hedgehog and Wnt family members induces myogenic bHLH gene expression in the somite," Genes Vev. 9:2911-2922 (1995)
	CC2	Nakano et al., "A protein with several possible membrane-spanning domains encoded by drosophila segment polarity gene patched," Nature 341:508-513 (1989)
	CD2	Niswander et al., "A positive feedback loop coordinates growth and pattering in the vertebrate limb," Nature 371:609-612 (1994)
	CE2	Nusse, "Patching up hedgehog," Nature 384:119-120 (1996)
	CF2	Omnell et al., "Expression of veratrum alkaloid teratogenicity in the mouse," Teratology 42:105-119 (1990)
	CG2	Orenic et al., "Cloning and characterization of the segment polarity gene cubitus interruptus dominant of drosophila," Genes and Development 4:1053-1067 (1990)
	CH2	Oro et al., "Basal cell carcinomas in mice overexpressing sonic hedgehog," Science 276:817-821 (1997)
	CI2	Perrimon, "Hedgehog and beyond," Cell 80:517-520 (1995)
	CJ2	Perrimon, "Serpentine proteins slither into the wingless and hedgehog fields," Cell 86:513-516 (1996)
	CK2	Placzek et al., "Induction of floor plate differentiation by contract-dependent, homeogenetic signals," Development 117:205-218 (1993)
	CL2	Porter et al., "Hedgehog patterning activity: role of a lipophilic modification mediated by the carboxy-terminal autoprocessing domain," Cell 86:21-34 (1996)
	CM2	Porter et al., "The product of hedgehog autoproteolytic cleavage active in local and long-range signalling," Nature 374:363-366 (1995)
	CN2	Riddle et al., "Sonic hedgehog mediates the polarizinig activity of the ZPA," Cell 75:1401-1416 (1993)
	CO2	Roberts et al., "Sonic hedgehog is an endodermal signal inducting Bmp-4 and Hox genes during induction and regionalization of the chick hindgut," Development 121:3163-3174 (1995)
	CP2	Roelink et al., "Floor plate and motor neuron induction by different concentrations of the amino-terminal cleavage product of sonic hedgehog autoproteolysis," Cell 81:445-455 (1995)
	CQ2	Roelink et al., "Floor plate and motor neuron induction by vhh-1, a vertebrate homolog of hedgehog expressed by the notochord," Cell 76:761-775 (1994)
	CR2	Stone et al., "The tumour-suppressor gene patched encodes a candidate receptor for sonic hedgehog," Nature 384:129-134 (1996)
1	CS2	Stone et al., "Future directions," Clin Orthop Relat Red 252:129 (1990)
 	CT2	Tabata et al., "The drosophila hedgehog gene is expressed specifically in posterior
		compartment cells and is a target of engrailed regulation," Genes Dev. 6:2635-2645 (1992)
	CU2	Takigawa et al., "Chondrocytes dedifferentiated by serial monolayer culture form cartilage nodules in nude mice," Bone Miner 2:449 (1987)
11	CV2	Tanabe et al., "Induction of motor neurons by sonic hedgehog is independent of floor plate differentiation," Curr Biol. 5:651-658 (1995)
A	CW2	Vacanti et al., "Synthetic polymers seeded with chondrocytes provide a template for new cartilage formation," Plast Reconstr Surg 88:753 (1991)
بلا		
Examine, Signature		Date Considered 3/11/05

PTO/SB/08a/b (06-03)
Approved for use through 07/31/2003. OMB 0651-0031
U.S. Petent and Trademark Office; U.S. DEPARTMENT OF COMMERCE spond to a collection of information unless it contains a valid OMB control number.

. Sub	stitute for form 1449A/B	/PTO		Complete if Known		
-				Application Number	Not Yet Assigned 10/735/116	
IN	FORMATIC	N D	SCLOSURE	Filing Date	December 9, 2003	
S	TATEMENT	BY /	APPLICANT	First Named Inventor	Henryk Dudek	
				Art Unit	NIA 1614	
	(Use as many	sheets as	necessary)	Examiner Name	Not Yet Assigned 72. Hewley	
Sheet	5	of	5	Attorney Docket Number	CIBT-P03-068	

O		
	CX2	von Schroeder et al., "The use of polyactic acid matrix and periosteal grafts for the reconstruction of rabbit knee articular defects," J Biomed Mater Res 25:329 (1991)
	CY2	Wakitani et al., "Repair of rabbit articular surfaces with allograft chondrocytes embedded in collagen cell," J. Bone Jt Surg 71B:74 (1989)
	CZ2	Wang et al., "Induction of dopaminergic neruon phenotype in the midbrain by sonic hedgehog protein," Nature Med. 1:1184-1188 (1995)
\Box	CA3	Weinberg et al., "Developmental regulation of zebrafish MyoD in wild-type, no tail and spadetail embryos," Development 122:271-280 (1996)
	СВЗ	Xie et al., "Mutations of the patched gene in several types of sporadic extracutaneous tumors," Cancer Res 57:2369-2372 (1997)
	CC3	Xie et al., "Physically mapping the 5 Mb D9S196-D9S180 interval harboring the basal cell nevus syndrome gene and localization of six genes in this region," Genes Chromosomes Cancer 18:305-309 (1997)
	CD3	Yamada et al., "Control of cell pattern in the neural tube: motor neuron induction by diffusible factors from notochord and floor place," Cell 73:673-686 (1993)
	CE3	Murone et al., Sonic hedgehog signaling by the patched-smoothened receptor complex," Current Biology 9:76-84 (1999)
A	CF3	Epstein et al., Antagonizing cAMP-dependent protein kinase A in the dorsal CNS activates a conserved sonic hedgehog signaling pathway," Development 122:2885-2894 (1996)

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner Signature Date Considered

¹Applicant's unique citation designation number (optional). ³Applicant is to place a check mark here if English language Translation is attached.